

North West farmers warned of bovine infections through multidrug-resistant bacteria

Issued by North-West University (NWU)

10 Aug 2021

Livestock farmers in the North West province are being urged to apply all possible security measures and avoid the introduction of new bulls without sanitary control. This is necessary to prevent the spread of a bacterial infection that causes abortion, infertility and other reproductive ailments in cattle - and could potentially be passed into the human food chain.

The warning comes from Dr Tshipamba Mpinda Edoaurd of the North-West University's (NWU's) Faculty of Natural and Agricultural Sciences. He recently conducted a study to investigate the incidence of the bacteria campylobacter fetus subsp. fetus and Campylobacter subsp. venerealis involved in bovine genital campylobacteriosis infections.

Campylobacter fetus subsp. venerealis is associated with infertility, early embryonic death and abortion, while campylobacter fetus subsp. fetus is associated with sporadic abortion in cows and sheep.

The study was conducted in the Dr Ruth Segomotsi Mompati District and entailed testing 258 sheath wash samples obtained from bulls in the Mamusa, Mulopo, Naledi and Tshwaing municipalities.

"During the investigation, two bacteria which are known to be the cause of bovine genital campylobacteriosis, as well as sporadic abortion in cattle and sheep, were detected," Dr Edoaurd says.

"Furthermore, the detected bacteria were subjected to an antimicrobial test using the disc diffusion method and the results revealed that most of the isolated bacteria were multidrug-resistant. The resistance was mainly observed against tetracycline, erythromycin, chloramphenicol, ciprofloxacin, enrofloxacin, ampicillin and nalidixic acid."

He says the presence of these two bacterial subspecies may negatively affect the beef industry. Adding to the animal health challenges posed by these bacteria is their multidrug-resistant profile.

"This could also pose a risk for public health, as these microorganisms, especially campylobacter fetus subsp. fetus, might be transferred to humans via the food chain. If that happens, campylobacter fetus subsp. fetus may cause a foodborne pathogen," adds Dr Edoaurd.

"Farmers across the North West Province should apply sanitary measures and avoid the introduction of new bulls without sanitary control."

- "SADiLaR funding helps launch the ‡Khomani | Hugh Brody Archive 25 Apr 2024
- "Prof Bismark lauds Springboks as Newsmaker of the Year 22 Apr 2024
- " NWU Chartered Accountancy students excel in 2024 ITC 15 Apr 2024
- Botswana should be praised for its conservation efforts, not chastised by Germany 5 Apr 2024
- * Africa unites to bring nuclear nutrition expertise to the continent 2 Apr 2024



North-West University (NWU)

The North-West University (NWU) is one of South Africa's top five universities; that offers superior academic excellence, cutting-edge research and innovation and teaching and learning. It all starts here.

Profile | News | Contact | Twitter | Facebook | RSS Feed

For more, visit: https://www.bizcommunity.com