BIZCOMMUNITY

'Sacred forests' in West Africa capture carbon and keep soil healthy

By Michele Francis

9 Apr 2021

In parts of West Africa, patches of forest have been preserved for long periods of time because of their cultural or religious significance. These "sacred forests" are believed to be inhabited and protected by gods, totem animals or ancestors. Local communities have their own <u>rules</u> prohibiting reckless harvesting of timber and game, which have protected the sacred forests over many generations.



Giant old trees in the rainforest at Campement de Kloto, Mssahoe, Agomé in Togo, West Africa. Getty Images

The forests cover several hundred square kilometres and maybe the remnants of a <u>once continuous forest</u> along the West African coast. The historically dense forest ecosystem in West Africa has <u>been reduced by over 80%</u> since 1900. The age of the remaining patches means they often contain more biodiversity than surrounding areas of agricultural land. They are the last remnants of <u>ecological niches</u>.

Not only are they culturally valuable and biodiverse, but these ancient forest remnants are also crucial to the fight against climate change. They also improve agricultural output. These were the findings of a <u>recent study</u> I co-authored, looking at the soil types in and around a sacred forest in northern Togo. The parent material of these soils is not calcareous, meaning that these are not lithogenic carbonates, thus making them an important carbon sink.

My calculations showed that one hectare of forest is able to permanently remove as much carbon dioxide from the atmosphere as is released by a power station burning nearly <u>16 tonnes</u> of coal.

I found that it is specifically organic matter – dead leaves and remains of trees – which has been on and in the soil for a long time and decomposing that makes the difference both to soil fertility and to carbon storage. As the trees and plants die, or the dead leaves drop down, these are slowly worked into the soil by the tiny creatures that live in it.

This stable ecosystem of organic matter can help fight climate change because of its potential for <u>carbon sequestration</u> – the capturing and storing of atmospheric carbon dioxide. This is relevant in global climate change policies.

The soil in the area is also important because it could contribute to yields in agricultural production. Adding organic matter to <u>farmland areas</u> surrounding these forests can increase the agricultural yields by "copying" the nature of these sacred forest soils.

Litter processors capture carbon

Forests remove large amounts of carbon dioxide from the atmosphere and bind it into their leaves. But when the trees die and eventually decompose on the forest floor, this carbon dioxide is <u>released</u> back into the atmosphere, unless it's captured and stored in a more permanent form. My research <u>showed</u> that this carbon capture was taking place on the floor of a <u>sacred forest</u> on a farm in Northern Togo.

Soils under the sacred forest are extremely biodiverse and high in nutrients and organic matter, in contrast with the <u>surrounding soils</u>. The agricultural lands are affected by <u>soil erosion</u> and <u>carbon losses</u>.

In the forest soil, I found evidence of the activity of litter processors, such as oribatid mites. They decompose the organic carbon and their biological activity helps to form a mineral called <u>calcite</u> in the soil. Calcite forms when root respiration and microorganisms decomposing organic matter generate carbon dioxide. This process reacts with soil moisture to form <u>dissolved inorganic carbon</u> and later precipitates as <u>calcite</u>.

The calcite in the floor of the sacred forest is <u>formed</u> like needle fibres and rods. These shapes are typical of <u>biological</u> <u>origins</u>.

None of these features are present in the soil from the degraded lands surrounding the sacred forests. The surrounding soils are very low in organic matter. They are non-calcareous and show very little microfaunal activity.

Calculations show that the soil under the sacred forest in Northern Togo stores <u>227 tonnes of organic carbon</u> per hectare, and permanently captures atmospheric carbon dioxide at a rate of <u>at least 8.64 tonnes</u> of <u>recalcitrant</u> inorganic carbon per hectare.

That's why one can say that one hectare of forest removes as much carbon dioxide as a power station releases when burning nearly <u>16 tonnes</u> of coal.

Because this area of Togo is dry, this mineral form of inorganic carbon remains in the soil and doesn't dissolve.

Improving crop yields

Woody savannah and crops including peanuts, corn, rice, millet, soy and cotton surround the sacred forest I studied in Togo. Crop yields are low because of the low fertility of the soils and a lack of fertilisation.

The farming centre at <u>Tami</u>, where I did my study, has a remnant of only <u>a quarter hectare</u> of sacred forest. The sacred forest has <u>sharp and straight boundaries</u>, strongly suggesting that its size is controlled by long term cultivation. The properties of the surrounding soil are completely different.

The farm is developing techniques that put organic matter back into the depleted soils, for example by adding leaf litter as <u>compost</u>. This adds nutrients to the soils that increase food yields, but also mirrors the processes in the sacred forests. It potentially increases carbon sequestration relevant to global climate change policies such as "<u>4 per mil</u>" – an initiative to increase the carbon in agricultural soil by 0.4% or 4 per mil ‰ per year.

Efforts to improve soils are particularly important in areas where these forests are becoming rarer and more fragmented because of population growth, expansion of buildings, construction of roads, and erosion of traditional religious beliefs.

Preserving the old-growth forest remnants like sacred forests and restoring degraded farmlands has two <u>benefits</u>: increasing food yields and reducing global CO₂.

Its important that land users, whether in the agricultural and forestry sector or <u>urban gardeners</u>, know of the benefits of conserving organic carbon.

This article is republished from The Conversation under a Creative Commons license. Read the original article.

ABOUT THE AUTHOR

Mchele Francis is Researcher, Department of Soil Science, Stellenbosch University.

For more, visit: https://www.bizcommunity.com